

A	B	C	D	E	F	G	H	J	K





ARTIKELNR./ ARTICLE NO.
E2467128

MÄRKSTRÖM/ CURRENT RATING
32 A

MEASURING EQUIPMENT
CURR.-TRAFO-SPACE | ENERGY-METER-SPACE

FAST ANSLUTNING/ FIXED CONNECTIONS
<125A | >125A

CEE-OUTLETS 3-POLE/230V
16A | 32A | 63A | 125A

SCHUKO OUTLETS 2-POLE/230V
16A
6

CEE-OUTLETS 5-POLE/400V
16A | 32A | 63A | 125A
2 | 1

JFB/RCCB
<0,03A | >0,3A | >0,03A & <0,3A
1

JFB/RCCB
Variable


VIKT/WEIGHT
3,9 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UTTAGSCENTRAL
U 32Midi//621-1 EN

EL-BJÖRN
www.elbjorn.com

RITAD AV/DRAWN BY	DATUM/DATE	NEXT SHEET	SHEET
CG	130211	2	1
SIGN	REVISION/ISSUE	RITNINGS NR./DRAWING	
	A*	E2467128	



ARTIKELNR./ ARTICLE NO.
E2467128

MÄRKSTRÖM/ CURRENT RATING
32 A

MEASURING EQUIPMENT
CURR.-TRAFO-SPACE | ENERGY-METER-SPACE

FAST ANSLUTNING/ FIXED CONNECTIONS
<125A | >125A

CEE-OUTLETS 3-POLE/230V
16A | 32A | 63A | 125A

SCHUKO OUTLETS 2-POLE/230V
16A
6

CEE-OUTLETS 5-POLE/400V
16A | 32A | 63A | 125A
2 | 1

JFB/RCCB
<0,03A | >0,3A | >0,03A & <0,3A
1

JFB/RCCB
Variable

VIKT/WEIGHT
3,9 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UTTAGSCENTRAL
U 32Midi//621-1 EN

EL-BJÖRN
www.elbjorn.com

RITAD AV/DRAWN BY	DATUM/DATE	NEXT SHEET	SHEET
CG	130211	3	2
SIGN	REVISION/ISSUE	RITNINGS NR./DRAWING	
	A*	E2467128	

A	B	C	D	E	F	G	H	J	K

PC.	Position	Description	Type	Manufacturer .	Data	Article No.	E-number(SE)
1		Elväska	MIDI (6)	El-Björn	320 x 450 x 130		
3	F01-F03	Automatsäkring	PLS6, 6kA, 1P	Eaton	C 16A	242681	2141469
2	F04, F05	Automatsäkring	PLS6, 6kA, 3P	Eaton	C 16A	242949	2141509
1	JF01	Jordfelsbrytare	PFIM, 4-P	Eaton	40A, 30mA	235439	2162237
1	X00	Panelintag	432BU6	ABB	32A, 400V, IP44	432BU6	1964033
6	X01-X03	Schukouttag	35218, Typ F, Skruv	Mennekes	16A, 230V, IP54	11020EB	
1	X04	Paneluttag	416RAM6	ABB	16A, 400V, IP44	416RAM6	1960963
1	X05	Paneluttag	416RU6	ABB	16A, 400V, IP44	416RU6	1961483
1	X06	Paneluttag	432RU6	ABB	32A, 400V, IP44	432RU6	1961633

ARTIKELNR./ ARTICLE NO.
E2467128

MÄRKSTRÖM/ CURRENT RATING
32 A

MEASURING EQUIPMENT
CURR.-TRAFO-SPACE | ENERGY-METER-SPACE

FAST ANSLUTNING/ FIXED CONNECTIONS
<125A | >125A

CEE-OUTLETS 3-POLE/230V
16A | 32A | 63A | 125A

SCHUKO OUTLETS 2-POLE/230V
16A
6

CEE-OUTLETS 5-POLE/400V
16A | 32A | 63A | 125A
2 | 1

JFB/RCCB
<0,03A | >0,3A | >0,03A & <0,3A
1

JFB/RCCB
Variable

VIKT/WEIGHT
3,9 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UTTAGSCENTRAL
U 32Midi//621-1 EN

EL-BJÖRN
www.elbjorn.com

RITAD AV/DRAWN BY	DATUM/DATE	NEXT SHEET	SHEET
CG	130211		3
SIGN	REVISION/ISSUE	RITNINGS NR./DRAWING	
	A*	E2467128	